OIPE JC133
SEP 2 8 2004
PATENT & TRADEMARK OFFICE

PTO/SB/08B(10-01)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 of 1

Complete if Known	
Application Number	09/749,185
Filing Date	December 26, 2000
First Named Inventor	Wezel et al.
Group Art Unit	1652
Examiner Name	M. Rao
Attorney Docket Number	2183-4666US

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS			
Examiner Initials *	Cite No.[1]	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T[2]
MMR		KWAK et al., Differential Regulation of ftsZ Transcription during Septation of Streptomyces griseus, Journal of Bacteriology, September 2001, pp. 5092-101, Vol. 183, No. 17.	

Examiner Signature	MMR	Date Considered	12/2004

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] Unique citation designation number (optional). [2] Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.